










CODE	Description
71970-000280	SG M PL D 3" REGULAR 2,420 UNF 100M
71970-000281	SG M PL D 3" REGULAR 2,420 UNF 130M
71970-000282	SG M PL D 3" REGULAR 2,420 UNF 200M

REV.		DESCRIPTION										DATE		APPROVED																																										
Material: PA6, SS, NBR				Project:				SCREEN GUARD								 PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED.																																								
Finish:				Subject:																																																				
Drawing No. N128457/1				Part Name:				SG M PL D 3" REGULAR 2,420 UNF 130M																																																
Part No. A-28955-290418		Quantity: 1		General Tolerance According to ISO 2768-f										Designed By		a21434 29 Apr 2018																																								
				LINEAR DIMENSIONS										Checked By		a21434 07/08/2019																																								
3-D Proj. 		Sheet Size: A3		Scale: 1:10		Permissible deviations in mm for ranges in nominal lengths								Checked By																																										
						Permissible deviations in degrees and minutes for ranges in nominal lengths								QA																																										
						<table><tr><td>≥ 0.5</td><td>> 3</td><td>> 6</td><td>> 30</td><td>> 120</td><td>> 400</td><td>> 1000</td><td>> 2000</td><td>≤ 10</td><td>> 10</td><td>> 50</td><td>> 120</td><td>> 400</td></tr><tr><td>≤ 3</td><td>≤ 6</td><td>≤ 30</td><td>≤ 120</td><td>≤ 400</td><td>≤ 1000</td><td>≤ 2000</td><td>≤ 4000</td><td>≤ 50</td><td>≤ 50</td><td>≤ 120</td><td>≤ 400</td><td>≤ 400</td></tr><tr><td>+0.05</td><td>+0.05</td><td>+0.1</td><td>+0.15</td><td>+0.2</td><td>+0.3</td><td>+0.5</td><td>-</td><td>±1°</td><td>+0°30'</td><td>+0°20'</td><td>+0°10'</td><td>+0°5'</td></tr></table>								≥ 0.5	> 3	> 6	> 30	> 120	> 400	> 1000	> 2000	≤ 10	> 10	> 50	> 120	> 400	≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000	≤ 50	≤ 50	≤ 120	≤ 400	≤ 400	+0.05	+0.05	+0.1	+0.15	+0.2	+0.3	+0.5	-	±1°	+0°30'	+0°20'	+0°10'	+0°5'				
≥ 0.5	> 3	> 6	> 30	> 120	> 400	> 1000	> 2000	≤ 10	> 10	> 50	> 120	> 400																																												
≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000	≤ 50	≤ 50	≤ 120	≤ 400	≤ 400																																												
+0.05	+0.05	+0.1	+0.15	+0.2	+0.3	+0.5	-	±1°	+0°30'	+0°20'	+0°10'	+0°5'																																												
File Name: SG PL M D 3" installation drawing.sldrw														Sheet: 1		Of: 4		Rev.:																																						



CODE	Description
71970-000280	SG M PL D 3" REGULAR 2,420 UNF 100M
71970-000281	SG M PL D 3" REGULAR 2,420 UNF 130M
71970-000282	SG M PL D 3" REGULAR 2,420 UNF 200M



REV.		DESCRIPTION				DATE		APPROVED	
Material:		PA6, SS, NBR		Project:		SCREEN GUARD			
Finish:				Subject:		NETAFIM™ PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED			
Drawing No.		N128457/1		Part Name:					
Part No.		Quantity:		General Tolerance According to ISO 2768-f				Designed By	
A-28955-290418		1		LINEAR DIMENSIONS				a21434	
				ANGULAR DIMENSIONS				29 Apr 2018	
3-D Proj.		Sheet Size:		Permissible deviations in mm for ranges in nominal lengths				Drawn By	
		A3		Permissible deviations in degrees and minutes for ranges in nominal lengths				a21434	
		Scale:						Checked By	
		1:10							
								QA	
File Name:		SG PL M D 3" installation drawing.slddrw				Sheet: 2			
						Of: 4			
						Rev. -			



		REV.	DESCRIPTION				DATE		APPROVED				
		Material: PA6, SS, NBR		Project: SCREEN GUARD				 PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED.					
		Finish:		Subject:									
		Drawing No. N128457/1		Part Name: SG M PL D 3" REGULAR 2,420 BSP 130M									
		Part No. A-28955-290418		Quantity: 1		General Tolerance According to ISO 2768-f							
						LINEAR DIMENSIONS		ANGULAR DIMENSIONS		Drawn By a21434 07/08/2019			
		3-D Proj. 		Sheet Size: A3		Scale: 1:10		Permissible deviations in mm for ranges in nominal lengths		Permissible deviations in degrees and minutes for ranges in nominal lengths		Checked By	
								≥ 0.5 ≤ 3 ≥ 3 ≤ 0.5 ≤ 0.1 ≤ 0.15 ≤ 0.2 ≤ 0.3 ≤ 0.5 -		≤ 10 ≥ 10 ≤ 50 ≤ 120 ≤ 2000 ≤ 4000 ±1° ±0°30' ±0°20' ±0°10' ±0°5'		QA	
												Sheet: 3 Of: 4 Rev. -	

CODE	Description
71970-000260	SG M PL D 3" REGULAR 2,420 BSP 100M
71970-000261	SG M PL D 3" REGULAR 2,420 BSP 130M
71970-000262	SG M PL D 3" REGULAR 2,420 BSP 200M

File Name: SG PL M D 3" installation drawing.slddrw



CODE	Description
71970-000270	SG M PL D 3" REGULAR 2,420 NPT 100M
71970-000271	SG M PL D 3" REGULAR 2,420 NPT 130M
71970-000272	SG M PL D 3" REGULAR 2,420 NPT 200M

REV.		DESCRIPTION				DATE		APPROVED																																													
Material: PA6, SS, NMR		Project: SCREEN GUARD				 PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED																																															
Finish:		Subject:																																																			
Drawing No. N128457/1		Part Name: SG M PL D 3" REGULAR 2,420 NPT 130M																																																			
Part No. A-28955-290418		Quantity: 1		General Tolerance According to ISO 2768-f LINEAR DIMENSIONS				Drawn By a21434 07/08/2019																																													
3-D Proj. 		Sheet Size: A3		Scale: 1:10		Checked By																																															
				Permissible deviations in mm for ranges in nominal lengths				Permissible deviations in degrees and minutes for ranges in nominal lengths																																													
				<table><tr><td>≥ 0.5</td><td>> 3</td><td>> 6</td><td>> 30</td><td>> 120</td><td>> 400</td><td>≤ 1000</td><td>≤ 2000</td><td>> 2000</td></tr><tr><td>≤ 3</td><td>≤ 6</td><td>≤ 30</td><td>≤ 120</td><td>≤ 400</td><td>≤ 1000</td><td>≤ 2000</td><td>≤ 4000</td><td></td></tr><tr><td>+0.05</td><td>+0.05</td><td>+0.1</td><td>+0.15</td><td>+0.2</td><td>+0.3</td><td>+0.5</td><td>-</td><td></td></tr></table>				≥ 0.5	> 3	> 6	> 30	> 120	> 400	≤ 1000	≤ 2000	> 2000	≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000		+0.05	+0.05	+0.1	+0.15	+0.2	+0.3	+0.5	-		<table><tr><td>≤ 10</td><td>> 10</td><td>> 50</td><td>> 120</td><td>> 400</td></tr><tr><td>≤ 5</td><td>≤ 50</td><td>≤ 120</td><td>≤ 400</td><td></td></tr><tr><td>±1°</td><td>±0°30'</td><td>±0°20'</td><td>±0°10'</td><td>±0°5'</td></tr></table>		≤ 10	> 10	> 50	> 120	> 400	≤ 5	≤ 50	≤ 120	≤ 400		±1°	±0°30'	±0°20'	±0°10'	±0°5'	QA	
≥ 0.5	> 3	> 6	> 30	> 120	> 400	≤ 1000	≤ 2000	> 2000																																													
≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000																																														
+0.05	+0.05	+0.1	+0.15	+0.2	+0.3	+0.5	-																																														
≤ 10	> 10	> 50	> 120	> 400																																																	
≤ 5	≤ 50	≤ 120	≤ 400																																																		
±1°	±0°30'	±0°20'	±0°10'	±0°5'																																																	
File Name: SG PL M D 3" installation drawing.slddrw								Sheet: 4 Of: 4 Rev. -																																													