








CODE	Description
71970-000310	SG M PL D 3" JUMBO 3,220 UNF 100M
71970-000311	SG M PL D 3" JUMBO 3,220 UNF 130M
71970-000312	SG M PL D 3" JUMBO 3,220 UNF 200M

A		11/08/2019	
REV.	DESCRIPTION	DATE	APPROVED
Material: PA6, SS, NBR		Project: SCREEN GUARD	
Finish:		Subject:	
Drawing No. N128472/1		Part Name: SG M PL D 3" JUMBO 3220 UNF 130M	
Part No. A-30818-280219	Quantity: 1	General Tolerance According to ISO 2768-f	
3-D Proj. Sheet Size: A3 Scale: 1:10		LINEAR DIMENSIONS	
		ANGULAR DIMENSIONS	
File Name: SG PL M D S 3" installation drawing.sldrw		PROPRIETARY AND CONFIDENTIAL	
		THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED	
		Designed By	a21434 28/02/2019
		Drawn By	a21434 11/08/2019
		Checked By	QA
		Sheet: 1	Of: 4 Rev. A



CODE	Description
71970-000310	SG M PL D 3" JUMBO 3,220 UNF 100M
71970-000311	SG M PL D 3" JUMBO 3,220 UNF 130M
71970-000312	SG M PL D 3" JUMBO 3,220 UNF 200M


REV.		DESCRIPTION				DATE		APPROVED																																																							
Material:		PA6, SS, NBR		Project:		SCREEN GUARD																																																									
Finish:				Subject:		 PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED																																																									
Drawing No.		N128472/1		Part Name:		SG M PL D 3" JUMBO 3220 UNF 130M																																																									
Part No.		Quantity:		General Tolerance According to ISO 2768-f LINEAR DIMENSIONS <table><tr><td colspan="8">Permissible deviations in mm for ranges in nominal lengths</td><td colspan="5">Permissible deviations in degrees and minutes for ranges in nominal lengths</td></tr><tr><td>≥ 0.5</td><td>> 3</td><td>> 6</td><td>> 30</td><td>> 120</td><td>> 400</td><td>> 1000</td><td>> 2000</td><td>≤ 10</td><td>> 10</td><td>> 50</td><td>> 120</td><td>> 400</td></tr><tr><td>≤ 3</td><td>≤ 6</td><td>≤ 30</td><td>≤ 120</td><td>≤ 400</td><td>≤ 1000</td><td>≤ 2000</td><td>≤ 4000</td><td>≤ 50</td><td>≤ 50</td><td>≤ 120</td><td>≤ 400</td><td></td></tr><tr><td>±0.05</td><td>±0.05</td><td>±0.1</td><td>±0.15</td><td>±0.2</td><td>±0.3</td><td>±0.5</td><td>-</td><td>±1°</td><td>±0°30'</td><td>±0°20'</td><td>±0°10'</td><td>±0°5'</td></tr></table>				Permissible deviations in mm for ranges in nominal lengths								Permissible deviations in degrees and minutes for ranges in nominal lengths					≥ 0.5	> 3	> 6	> 30	> 120	> 400	> 1000	> 2000	≤ 10	> 10	> 50	> 120	> 400	≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000	≤ 50	≤ 50	≤ 120	≤ 400		±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	-	±1°	±0°30'	±0°20'	±0°10'	±0°5'	Designed By		α21434	28/02/2019
Permissible deviations in mm for ranges in nominal lengths								Permissible deviations in degrees and minutes for ranges in nominal lengths																																																							
≥ 0.5	> 3	> 6	> 30	> 120	> 400	> 1000	> 2000	≤ 10	> 10	> 50	> 120	> 400																																																			
≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000	≤ 50	≤ 50	≤ 120	≤ 400																																																				
±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	-	±1°	±0°30'	±0°20'	±0°10'	±0°5'																																																			
A-30818-280219		1						Drawn By		α21434	11/08/2019																																																				
3-D Proj.		Sheet Size:		Scale:		Checked By																																																									
		A3		1:10		QA																																																									
File Name: SG PL M D S 3" installation drawing.sldrw																																																															
						Sheet: 2		Of: 4		Rev. A																																																					



		REV.		DESCRIPTION										DATE		APPROVED																																										
		Material:				Project:										 PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED																																										
		PA6, SS, NBR				SCREEN GUARD																																																				
		Finish:				Subject:																																																				
		Drawing No.				Part Name:										Designed By																																										
		N128472/1				SG M PL D 3" JUMBO 3220 BSP 130M																																																				
		Part No.		Quantity:		General Tolerance According to ISO 2768-f										Drawn By																																										
		A-30818-280219		1		LINEAR DIMENSIONS										a21434																																										
		3-D Proj.		Sheet Size:		Scale:		Permissible deviations in mm for ranges in nominal lengths										11/08/2019																																								
				A3		1:10		<table><tr><td>≥ 0.5</td><td>> 3</td><td>> 6</td><td>> 30</td><td>> 120</td><td>> 400</td><td>> 1000</td><td>> 2000</td><td>≤ 10</td><td>> 10</td><td>> 50</td><td>> 120</td><td>> 400</td></tr><tr><td>≤ 3</td><td>≤ 6</td><td>≤ 30</td><td>≤ 120</td><td>≤ 400</td><td>≤ 1000</td><td>≤ 2000</td><td>≤ 4000</td><td>± 1°</td><td>± 0°30'</td><td>± 0°20'</td><td>± 0°10'</td><td>± 0°5'</td></tr><tr><td>± 0.05</td><td>± 0.05</td><td>± 0.1</td><td>± 0.15</td><td>± 0.2</td><td>± 0.3</td><td>± 0.5</td><td>-</td><td></td><td></td><td></td><td></td><td></td></tr></table>										≥ 0.5	> 3	> 6	> 30	> 120	> 400	> 1000	> 2000	≤ 10	> 10	> 50	> 120	> 400	≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000	± 1°	± 0°30'	± 0°20'	± 0°10'	± 0°5'	± 0.05	± 0.05	± 0.1	± 0.15	± 0.2	± 0.3	± 0.5	-						Checked By	
≥ 0.5	> 3	> 6	> 30	> 120	> 400	> 1000	> 2000	≤ 10	> 10	> 50	> 120	> 400																																														
≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000	± 1°	± 0°30'	± 0°20'	± 0°10'	± 0°5'																																														
± 0.05	± 0.05	± 0.1	± 0.15	± 0.2	± 0.3	± 0.5	-																																																			
																		QA																																								
																		Sheet: 3																																								
																		Of: 4																																								
																		Rev. A																																								

CODE	Description
71970-000290	SG M PL D 3" JUMBO 3,220 BSP 100M
71970-000291	SG M PL D 3" JUMBO 3,220 BSP 130M
71970-000292	SG M PL D 3" JUMBO 3,220 BSP 200M

File Name: SG PL M D S 3" installation drawing.slddrw



CODE	Description
71970-000300	SG M PL D 3" JUMBO 3,220 NPT 100M
71970-000301	SG M PL D 3" JUMBO 3,220 NPT 130M
71970-000302	SG M PL D 3" JUMBO 3,220 NPT 200M

REV.		DESCRIPTION				DATE		APPROVED	
Material:		PA6, SS, NBR				Project: SCREEN GUARD			
Finish:						Subject:			
Drawing No.		N128472/1				Part Name: SG M PL D 3" JUMBO 3220 NPT 130M			
Part No.		Quantity:		General Tolerance According to ISO 2768-f				Proprietary and Confidential	
A-30818-280219		1		LINEAR DIMENSIONS				THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED	
3-D Proj.		Sheet Size:		Scale:		Permissible deviations in mm for ranges in nominal lengths			
		A3		1:10		Permissible deviations in degrees and minutes for ranges in nominal lengths			
						≤ 10 > 10 > 50 > 120 > 400			
						≤ 3 ≤ 6 ≤ 30 ≤ 120 ≤ 400 ≤ 1000 ≤ 2000 ≤ 4000			
						± 1° ± 0°30' ± 0°20' ± 0°10' ± 0°5'			
File Name:		SG PL M D S 3" installation drawing.slddrw							
		Sheet:		4		Of:		4	
						Rev.		A	